# HMT-West/CalWater 2011: IOP6 Summary

- Operations director: Dave Kingsmill
- Duration
  - Start: 06 UTC 1 March 2011
  - End: 00 UTC 4 March 2011
- Activities at Lincoln (LHM) field site
  - Skywater Doppler radar operated from ~05 UTC 2 March to ~00 UTC 4 March. No gaps in data collection were experienced.
  - A total of 12 GPS balloon soundings were released at the following times:
    - 1 March (06, 12, 18 UTC), 2 March (00, 04, 08, 12, 16, 20 UTC), 3 March (00, 06, 12 UTC).
- NWS rawinsonde activities
  - No NWS supplementals requested

# HMT-West/CalWater 2011: IOP6 Summary


- Autonomous instrument operation problems
  - Alta (ATA): Tipping bucket precipitation gauge was malfunctioning between 06 UTC 1 March and 00 UTC 3 March.
  - Greek Store (GKS): ETI precipitation gauge malfunctioned throughout the IOP
- G-1 aircraft operations
  - Flights 21 and 22 (2 March) and Flight 23 (3 March)
- Water collection for isotopic analysis
  - Cazadero: 00 UTC 2 March to 00 UTC 4 March
  - Lincoln, Shasta and Sugar Pine: 06 UTC 2 March to 06 UTC 4 March


## HMT-West/CalWater 2011: IOP6 Summary

#### Overview


This 66 hour IOP was associated with a marginal atmospheric river (AR) that had a subtropical connection. The event ushered in a considerably warmer airmass compared to land-falling storms of the preceding few weeks. A single episode of widespread precipitation was observed during the night of 1 March into the morning of 2 March. A relatively strong barrier jet was evident along the Sierra. There was a distinct frontal passage during the day on 2 March, but it was not accompanied by a narrow-cold-frontal rainband. After the frontal passage, scattered showers persisted along the Sierra during the night of 2 March into the morning of 3 March. Snow levels started out around 5 kft then rose to ~8 kft in the strong warm advection present ahead of the cold front. After frontal passage, snow levels gradually descended back down to ~5 kft. Precipitation accumulations for the IOP were 1" to 3" in the Sierra, 1" to 2" inches along the coastal mountains and less than 0.25" in the Central Valley.


The images in the following slides provide additional context for the IOP


















### 12 UTC 2 March















### SSM/I Satellite IWV Evolution









### SSM/I Satellite IWV Evolution








### Winds and Water Vapor Flux @ Bodega Bay

#### **ESRL Physical Sciences Division**

Coastal Atmospheric River Monitoring and Early Warning System Model forecast provided by the ESRL Global Systems Division





Bodega Bay,CA (BBY) 38.32 N, 123.07 W, 12 m Cazadero,CA (CZC) 38.61 N, 123.22 W, 475 m


Upslope Wind Direction = 230°

#### Winds and Water Vapor Flux @ Sloughhouse


#### **ESRL Physical Sciences Division**

Coastal Atmospheric River Monitoring and Early Warning System Model forecast provided by the ESRL Global Systems Division






Sloughhouse,CA (SHS) 38.50 N, 121.21 W, 50 m




#### Vertical Precipitation Structure @ Cazadero

ESRL Physical Sciences Division Precipitation Profiling Radar

3 March 2 March 1 March







#### Vertical Precipitation Structure @ Sugar Pine

ESRL Physical Sciences Division Precipitation Profiling Radar








KDAX NEXRAD 0.9 degree beam

Snow Level

Sugar Pine, CA (SPD)

39.13 N, 120.80 W, 1066 m

### CNRFC Precipitation Gauge + Mtn. Mapper QPE



0.50 1.00 1.50 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 6.00

HMT + CDEC Precipitation Gauge Totals (06 UTC 1 March 2011 to 00 UTC 4 March 2011)

